

SUPPLEMENTARY MATERIAL

SUPPLEMENTARY TABLE 1. Example of calibration table provided by the Keuwlsoft Application

	Measured	Actual
Point 1	<i>Tap to Measure</i>	
Point 2 (Optional)		
Point 3 (Optional)		




FIG. S. I. Predicted difference between SLM (Sound Level Meter) and application measurements for Device 1 and Device 2 in the Bolden Application with change in (A) Loudness and (B) Frequency. Differences are shown for measurements taken with the Frequency Analyzer mode (in solid lines) and without (in dashed lines)

DATA TABLE I. Raw data for all SPL measurements.

DB_SLM	DB_A_DIFF	DB_APP	FRQ	DV_ID	FRQ_ST	APP	CALB
54.5	-11.3	43.2	3	1	FA	BO	UN
60.4	-11.1	49.3	3	1	FA	BO	UN
60.4	-10.9	49.5	3	1	FA	BO	UN
66.4	-11.1	55.3	3	1	FA	BO	UN
72.5	-11.1	61.4	3	1	FA	BO	UN
76.6	-11.2	65.4	3	1	FA	BO	UN
80.6	-11.3	69.3	3	1	FA	BO	UN
84.6	-11.5	73.1	3	1	FA	BO	UN
88.5	-14.8	73.7	3	1	FA	BO	UN
92.3	-18.6	73.7	3	1	FA	BO	UN
94.4	-21.3	73.1	3	1	FA	BO	UN
97.8	-24.7	73.1	3	1	FA	BO	UN
98.6	-25.2	73.4	3	1	FA	BO	UN
98.6	-25.5	73.1	3	1	FA	BO	UN
53.4	-7.1	46.3	4	1	FA	BO	UN
59.4	-7	52.4	4	1	FA	BO	UN

59.5	-7.1	52.4	4	1	FA	BO	UN
65.4	-7	58.4	4	1	FA	BO	UN
71.5	-7.1	64.4	4	1	FA	BO	UN
75.6	-7.3	68.3	4	1	FA	BO	UN
79.5	-7.1	72.4	4	1	FA	BO	UN
83.5	-9.3	74.2	4	1	FA	BO	UN
87.6	-13.4	74.2	4	1	FA	BO	UN
91.5	-17.6	73.9	4	1	FA	BO	UN
93.5	-19.5	74	4	1	FA	BO	UN
97.1	-22.8	74.3	4	1	FA	BO	UN
97.5	-23.2	74.3	4	1	FA	BO	UN
97.5	-23.4	74.1	4	1	FA	BO	UN
55.3	-7.2	48.1	5	1	FA	BO	UN
61.2	-7.5	53.7	5	1	FA	BO	UN
61.3	-7.4	53.9	5	1	FA	BO	UN
67.1	-7.4	59.7	5	1	FA	BO	UN
73.1	-7.3	65.8	5	1	FA	BO	UN
77.3	-7.7	69.6	5	1	FA	BO	UN
81.2	-7.6	73.6	5	1	FA	BO	UN
85.1	-11.4	73.7	5	1	FA	BO	UN
89.1	-15.5	73.6	5	1	FA	BO	UN
92.4	-18.7	73.7	5	1	FA	BO	UN
92.7	-19	73.7	5	1	FA	BO	UN
96.3	-22.4	73.9	5	1	FA	BO	UN
96.3	-22.4	73.9	5	1	FA	BO	UN
96.2	-22.6	73.6	5	1	FA	BO	UN
53.5	0.2	53.7	6	1	FA	BO	UN
59.5	0.2	59.7	6	1	FA	BO	UN
59.5	0.2	59.7	6	1	FA	BO	UN
65.5	0.3	65.8	6	1	FA	BO	UN
71.5	0.1	71.6	6	1	FA	BO	UN
75.5	-3.1	72.4	6	1	FA	BO	UN
79.4	-7.1	72.3	6	1	FA	BO	UN
83.5	-11	72.5	6	1	FA	BO	UN
87.4	-14.8	72.6	6	1	FA	BO	UN
91.3	-18.5	72.8	6	1	FA	BO	UN
93.2	-19.2	74	6	1	FA	BO	UN
95.9	-20.2	75.7	6	1	FA	BO	UN
95.9	-20.5	75.4	6	1	FA	BO	UN
95.9	-20.5	75.4	6	1	FA	BO	UN
52.2	2.3	54.5	7	1	FA	BO	UN
58.2	2.1	60.3	7	1	FA	BO	UN
58.2	2.2	60.4	7	1	FA	BO	UN
64.2	2.1	66.3	7	1	FA	BO	UN

70.2	-1.8	68.4	7	1	FA	BO	UN
74.2	-6	68.2	7	1	FA	BO	UN
78.2	-9.9	68.3	7	1	FA	BO	UN
82.1	-13.4	68.7	7	1	FA	BO	UN
86.1	-17	69.1	7	1	FA	BO	UN
90	-17.1	72.9	7	1	FA	BO	UN
92	-17.1	74.9	7	1	FA	BO	UN
93.9	-17.8	76.1	7	1	FA	BO	UN
94	-17.9	76.1	7	1	FA	BO	UN
94	-18	76	7	1	FA	BO	UN
54.5	-6.1	48.4	8	1	FA	BO	UN
60.6	-6.1	54.5	8	1	FA	BO	UN
60.6	-6.1	54.5	8	1	FA	BO	UN
66.5	-6.1	60.4	8	1	FA	BO	UN
72.5	-10.1	62.4	8	1	FA	BO	UN
76.5	-14.2	62.3	8	1	FA	BO	UN
80.5	-18.1	62.4	8	1	FA	BO	UN
84.5	-22	62.5	8	1	FA	BO	UN
88.4	-25	63.4	8	1	FA	BO	UN
92.4	-25.2	67.2	8	1	FA	BO	UN
94.3	-25.3	69	8	1	FA	BO	UN
95	-25.2	69.8	8	1	FA	BO	UN
95	-25.2	69.8	8	1	FA	BO	UN
95	-25.2	69.8	8	1	FA	BO	UN
50.9	-7.7	43.2	9	1	FA	BO	UN
57.2	-8	49.2	9	1	FA	BO	UN
57.3	-8.1	49.2	9	1	FA	BO	UN
63.1	-7.9	55.2	9	1	FA	BO	UN
69.1	-10.3	58.8	9	1	FA	BO	UN
73.1	-14.3	58.8	9	1	FA	BO	UN
77.1	-18.4	58.7	9	1	FA	BO	UN
81	-22	59	9	1	FA	BO	UN
84.9	-25.9	59	9	1	FA	BO	UN
88.7	-27.2	61.5	9	1	FA	BO	UN
90.1	-27.2	62.9	9	1	FA	BO	UN
90	-27.3	62.7	9	1	FA	BO	UN
89.9	-27.2	62.7	9	1	FA	BO	UN
89.9	-27.2	62.7	9	1	FA	BO	UN
57.1	-15.3	41.8	10	1	FA	BO	UN
63.2	-15.3	47.9	10	1	FA	BO	UN
63	-15.1	47.9	10	1	FA	BO	UN
69	-15.1	53.9	10	1	FA	BO	UN
75.1	-16.8	58.3	10	1	FA	BO	UN
78.9	-20.8	58.1	10	1	FA	BO	UN

82.9	-25	57.9	10	1	FA	BO	UN
86.8	-28.5	58.3	10	1	FA	BO	UN
90.7	-32.4	58.3	10	1	FA	BO	UN
93.4	-34.2	59.2	10	1	FA	BO	UN
93.4	-34	59.4	10	1	FA	BO	UN
93.6	-34	59.6	10	1	FA	BO	UN
93.8	-34.2	59.6	10	1	FA	BO	UN
93.8	-34.1	59.7	10	1	FA	BO	UN
53.2	-16.1	37.1	3	2	FA	BO	UN
59.1	-15.9	43.2	3	2	FA	BO	UN
59.1	-16	43.1	3	2	FA	BO	UN
65.1	-16	49.1	3	2	FA	BO	UN
71.1	-16	55.1	3	2	FA	BO	UN
75.2	-16.1	59.1	3	2	FA	BO	UN
79	-15.8	63.2	3	2	FA	BO	UN
83.1	-16	67.1	3	2	FA	BO	UN
87.1	-16	71.1	3	2	FA	BO	UN
90.8	-16	74.8	3	2	FA	BO	UN
92.7	-17.8	74.9	3	2	FA	BO	UN
96.2	-22.3	73.9	3	2	FA	BO	UN
97.3	-24	73.3	3	2	FA	BO	UN
97	-23.7	73.3	3	2	FA	BO	UN
53	-10.5	42.5	4	2	FA	BO	UN
59	-10.4	48.6	4	2	FA	BO	UN
59.1	-10.3	48.8	4	2	FA	BO	UN
64.9	-10.3	54.6	4	2	FA	BO	UN
65	-10.4	54.6	4	2	FA	BO	UN
71.1	-10.5	60.6	4	2	FA	BO	UN
75.2	-10.4	64.8	4	2	FA	BO	UN
79.2	-10.6	68.6	4	2	FA	BO	UN
83.2	-10.5	72.7	4	2	FA	BO	UN
87.1	-10.6	76.5	4	2	FA	BO	UN
90.9	-11.3	79.6	4	2	FA	BO	UN
92.8	-12.8	80	4	2	FA	BO	UN
96.3	-14.9	81.4	4	2	FA	BO	UN
96.7	-15.1	81.6	4	2	FA	BO	UN
53	-14.4	38.6	5	2	FA	BO	UN
59	-14.1	44.9	5	2	FA	BO	UN
58.9	-14.5	44.4	5	2	FA	BO	UN
65.1	-14.7	50.4	5	2	FA	BO	UN
71.1	-14.6	56.5	5	2	FA	BO	UN
74.9	-14.6	60.3	5	2	FA	BO	UN
79	-14.6	64.4	5	2	FA	BO	UN
83	-14.8	68.2	5	2	FA	BO	UN

86.9	-14.8	72.1	5	2	FA	BO	UN
90.8	-16.5	74.3	5	2	FA	BO	UN
92.7	-19.3	73.4	5	2	FA	BO	UN
96.3	-25.3	71	5	2	FA	BO	UN
96.3	-25.2	71.1	5	2	FA	BO	UN
96.2	-25	71.2	5	2	FA	BO	UN
54.6	-10.8	43.8	6	2	FA	BO	UN
60.6	-10.8	49.8	6	2	FA	BO	UN
60.5	-10.7	49.8	6	2	FA	BO	UN
66.5	-10.8	55.7	6	2	FA	BO	UN
72.5	-10.8	61.7	6	2	FA	BO	UN
76.5	-10.9	65.6	6	2	FA	BO	UN
80.5	-11	69.5	6	2	FA	BO	UN
84.6	-11.1	73.5	6	2	FA	BO	UN
88.5	-11	77.5	6	2	FA	BO	UN
92.4	-12.3	80.1	6	2	FA	BO	UN
94.3	-13.6	80.7	6	2	FA	BO	UN
97	-15.4	81.6	6	2	FA	BO	UN
97	-15.4	81.6	6	2	FA	BO	UN
97.1	-15.4	81.7	6	2	FA	BO	UN
49.5	-14.2	35.3	7	2	FA	BO	UN
55.4	-14.2	41.2	7	2	FA	BO	UN
55.5	-14.3	41.2	7	2	FA	BO	UN
61.4	-14.2	47.2	7	2	FA	BO	UN
67.4	-14.4	53	7	2	FA	BO	UN
71.4	-14.5	56.9	7	2	FA	BO	UN
75.5	-14.6	60.9	7	2	FA	BO	UN
79.4	-14.5	64.9	7	2	FA	BO	UN
83.4	-14.6	68.8	7	2	FA	BO	UN
87.4	-14.8	72.6	7	2	FA	BO	UN
89.5	-15	74.5	7	2	FA	BO	UN
91.3	-17.1	74.2	7	2	FA	BO	UN
91.4	-17.1	74.3	7	2	FA	BO	UN
91.5	-17.2	74.3	7	2	FA	BO	UN
55.1	-8.7	46.4	8	2	FA	BO	UN
61.1	-8.7	52.4	8	2	FA	BO	UN
60.9	-8.4	52.5	8	2	FA	BO	UN
67	-8.5	58.5	8	2	FA	BO	UN
72.7	-8.2	64.5	8	2	FA	BO	UN
76.8	-8.4	68.4	8	2	FA	BO	UN
80.7	-8.2	72.5	8	2	FA	BO	UN
84.7	-8.3	76.4	8	2	FA	BO	UN
88.6	-10.6	78	8	2	FA	BO	UN
92.4	-14.2	78.2	8	2	FA	BO	UN

94.4	-15.7	78.7	8	2	FA	BO	UN
95.1	-15.8	79.3	8	2	FA	BO	UN
95.1	-15.8	79.3	8	2	FA	BO	UN
95	-16.7	78.3	8	2	FA	BO	UN
51.6	-7	44.6	9	2	FA	BO	UN
57.4	-6.9	50.5	9	2	FA	BO	UN
57.4	-6.9	50.5	9	2	FA	BO	UN
63.3	-6.8	56.5	9	2	FA	BO	UN
69.2	-6.8	62.4	9	2	FA	BO	UN
73.2	-6.9	66.3	9	2	FA	BO	UN
77.1	-6.8	70.3	9	2	FA	BO	UN
81.1	-6.9	74.2	9	2	FA	BO	UN
85	-8.8	76.2	9	2	FA	BO	UN
88.7	-13	75.7	9	2	FA	BO	UN
90	-14.5	75.5	9	2	FA	BO	UN
90	-14.5	75.5	9	2	FA	BO	UN
89.9	-14.4	75.5	9	2	FA	BO	UN
90	-14.5	75.5	9	2	FA	BO	UN
55.7	-11	44.7	10	2	FA	BO	UN
61.4	-10.7	50.7	10	2	FA	BO	UN
61.5	-10.9	50.6	10	2	FA	BO	UN
67.4	-10.8	56.6	10	2	FA	BO	UN
73.3	-10.8	62.5	10	2	FA	BO	UN
77.3	-10.9	66.4	10	2	FA	BO	UN
81.2	-10.8	70.4	10	2	FA	BO	UN
85.2	-10.9	74.3	10	2	FA	BO	UN
89.1	-11.8	77.3	10	2	FA	BO	UN
91.9	-14.3	77.6	10	2	FA	BO	UN
92	-14.4	77.6	10	2	FA	BO	UN
92.3	-14.5	77.8	10	2	FA	BO	UN
90	-12.2	77.8	10	2	FA	BO	UN
92.8	-15.1	77.7	10	2	FA	BO	UN
55.5	-13.2	42.3	3	1	BR	BO	UN
61.2	-13.1	48.1	3	1	BR	BO	UN
61.1	-12.9	48.2	3	1	BR	BO	UN
67.1	-13	54.1	3	1	BR	BO	UN
73.1	-13	60.1	3	1	BR	BO	UN
77.1	-12.9	64.2	3	1	BR	BO	UN
81.1	-12.9	68.2	3	1	BR	BO	UN
85.1	-12.9	72.2	3	1	BR	BO	UN
86.9	-12.8	74.1	3	1	BR	BO	UN
92.9	-18.9	74	3	1	BR	BO	UN
94.6	-20.5	74.1	3	1	BR	BO	UN
98	-23.8	74.2	3	1	BR	BO	UN

99	-24.8	74.2	3	1	BR	BO	UN
98.9	-24.8	74.1	3	1	BR	BO	UN
57.5	-9.2	48.3	4	1	BR	BO	UN
63.2	-8.8	54.4	4	1	BR	BO	UN
63.2	-8.8	54.4	4	1	BR	BO	UN
69.2	-8.8	60.4	4	1	BR	BO	UN
75.2	-8.7	66.5	4	1	BR	BO	UN
79.2	-8.8	70.4	4	1	BR	BO	UN
83.3	-8.9	74.4	4	1	BR	BO	UN
87.2	-12.1	75.1	4	1	BR	BO	UN
91.2	-16.3	74.9	4	1	BR	BO	UN
95.1	-19.9	75.2	4	1	BR	BO	UN
97	-21.7	75.3	4	1	BR	BO	UN
100.5	-25.2	75.3	4	1	BR	BO	UN
100.9	-25.6	75.3	4	1	BR	BO	UN
100.8	-25.5	75.3	4	1	BR	BO	UN
54.7	-5.6	49.1	5	1	BR	BO	UN
60.5	-5.4	55.1	5	1	BR	BO	UN
60.7	-5.6	55.1	5	1	BR	BO	UN
66.5	-5.3	61.2	5	1	BR	BO	UN
72.4	-5.3	67.1	5	1	BR	BO	UN
76.5	-5.4	71.1	5	1	BR	BO	UN
80.5	-6	74.5	5	1	BR	BO	UN
84.5	-10.1	74.4	5	1	BR	BO	UN
88.4	-14.2	74.2	5	1	BR	BO	UN
92.3	-17.6	74.7	5	1	BR	BO	UN
94.2	-19.5	74.7	5	1	BR	BO	UN
97.7	-23	74.7	5	1	BR	BO	UN
97.6	-22.9	74.7	5	1	BR	BO	UN
97.6	-22.9	74.7	5	1	BR	BO	UN
56.3	-7.2	49.1	6	1	BR	BO	UN
61.8	-6.7	55.1	6	1	BR	BO	UN
61.7	-6.5	55.2	6	1	BR	BO	UN
67.7	-6.5	61.2	6	1	BR	BO	UN
73.7	-6.5	67.2	6	1	BR	BO	UN
77.6	-6.3	71.3	6	1	BR	BO	UN
81.7	-7.1	74.6	6	1	BR	BO	UN
85.6	-11.2	74.4	6	1	BR	BO	UN
89.5	-14.9	74.6	6	1	BR	BO	UN
93.5	-18.8	74.7	6	1	BR	BO	UN
95.3	-20.6	74.7	6	1	BR	BO	UN
98.8	-24.1	74.7	6	1	BR	BO	UN
98.7	-24	74.7	6	1	BR	BO	UN
98.6	-23.9	74.7	6	1	BR	BO	UN

53.9	-1.4	52.5	7	1	BR	BO	UN
59.5	-1	58.5	7	1	BR	BO	UN
59.5	-1	58.5	7	1	BR	BO	UN
65.4	-1	64.4	7	1	BR	BO	UN
71.3	-3.3	68	7	1	BR	BO	UN
75.2	-7.4	67.8	7	1	BR	BO	UN
79.2	-11	68.2	7	1	BR	BO	UN
83.1	-14.9	68.2	7	1	BR	BO	UN
87.1	-18.9	68.2	7	1	BR	BO	UN
91	-19.9	71.1	7	1	BR	BO	UN
93	-19.9	73.1	7	1	BR	BO	UN
94.8	-19.9	74.9	7	1	BR	BO	UN
94.9	-19.9	75	7	1	BR	BO	UN
95	-20	75	7	1	BR	BO	UN
55.3	-8.7	46.6	8	1	BR	BO	UN
61.2	-8.5	52.7	8	1	BR	BO	UN
61.2	-8.5	52.7	8	1	BR	BO	UN
67.2	-8.5	58.7	8	1	BR	BO	UN
73.1	-11.8	61.3	8	1	BR	BO	UN
77.1	-15.9	61.2	8	1	BR	BO	UN
81.1	-19.6	61.5	8	1	BR	BO	UN
85.1	-23.6	61.5	8	1	BR	BO	UN
89	-27.3	61.7	8	1	BR	BO	UN
92.8	-27.2	65.6	8	1	BR	BO	UN
94.7	-27.3	67.4	8	1	BR	BO	UN
95.3	-27.1	68.2	8	1	BR	BO	UN
95.2	-27.1	68.1	8	1	BR	BO	UN
95.2	-27.1	68.1	8	1	BR	BO	UN
54.5	-14.4	40.1	9	1	BR	BO	UN
60.4	-14.2	46.2	9	1	BR	BO	UN
60.4	-14.2	46.2	9	1	BR	BO	UN
66.3	-14.1	52.2	9	1	BR	BO	UN
72.3	-15.1	57.2	9	1	BR	BO	UN
76.3	-19.3	57	9	1	BR	BO	UN
80.3	-23.5	56.8	9	1	BR	BO	UN
84.2	-26.9	57.3	9	1	BR	BO	UN
88.2	-30.9	57.3	9	1	BR	BO	UN
92.1	-33.2	58.9	9	1	BR	BO	UN
93.5	-33.2	60.3	9	1	BR	BO	UN
93.5	-33.2	60.3	9	1	BR	BO	UN
93.5	-33.2	60.3	9	1	BR	BO	UN
93.6	-33.4	60.2	9	1	BR	BO	UN
56.5	-15.6	40.9	10	1	BR	BO	UN
62.4	-15.5	46.9	10	1	BR	BO	UN

62.3	-15.7	46.6	10	1	BR	BO	UN
68.2	-15.7	52.5	10	1	BR	BO	UN
74.3	-18.6	55.7	10	1	BR	BO	UN
78.1	-22.5	55.6	10	1	BR	BO	UN
82.1	-26.3	55.8	10	1	BR	BO	UN
86.1	-30.3	55.8	10	1	BR	BO	UN
90	-34.1	55.9	10	1	BR	BO	UN
92.8	-35.1	57.7	10	1	BR	BO	UN
93.1	-35.3	57.8	10	1	BR	BO	UN
93.5	-35.5	58	10	1	BR	BO	UN
93.8	-35.6	58.2	10	1	BR	BO	UN
94	-35.6	58.4	10	1	BR	BO	UN
55.5	-15.1	40.4	3	2	BR	BO	UN
61.2	-15.7	45.5	3	2	BR	BO	UN
61.1	-15.6	45.5	3	2	BR	BO	UN
67.1	-15.8	51.3	3	2	BR	BO	UN
73.1	-16.2	56.9	3	2	BR	BO	UN
77.1	-15.9	61.2	3	2	BR	BO	UN
81.1	-16.2	64.9	3	2	BR	BO	UN
85.1	-16	69.1	3	2	BR	BO	UN
86.9	-11.1	75.8	3	2	BR	BO	UN
92.9	-17.8	75.1	3	2	BR	BO	UN
94.6	-20.7	73.9	3	2	BR	BO	UN
98	-23.6	74.4	3	2	BR	BO	UN
99	-25.5	73.5	3	2	BR	BO	UN
98.9	-25.1	73.8	3	2	BR	BO	UN
57.5	-12	45.5	4	2	BR	BO	UN
63.2	-11.7	51.5	4	2	BR	BO	UN
63.2	-11.6	51.6	4	2	BR	BO	UN
69.2	-11.7	57.5	4	2	BR	BO	UN
75.2	-11.7	63.5	4	2	BR	BO	UN
79.2	-11.7	67.5	4	2	BR	BO	UN
83.3	-11.8	71.5	4	2	BR	BO	UN
87.2	-11.7	75.5	4	2	BR	BO	UN
91.2	-11.7	79.5	4	2	BR	BO	UN
95.1	-14.7	80.4	4	2	BR	BO	UN
97	-16.1	80.9	4	2	BR	BO	UN
100.5	-18.5	82	4	2	BR	BO	UN
100.9	-18.7	82.2	4	2	BR	BO	UN
100.8	-18.6	82.2	4	2	BR	BO	UN
54.7	-12.8	41.9	5	2	BR	BO	UN
60.5	-12.7	47.8	5	2	BR	BO	UN
60.7	-13.4	47.3	5	2	BR	BO	UN
66.5	-13.3	53.2	5	2	BR	BO	UN

72.4	-13.3	59.1	5	2	BR	BO	UN
76.5	-13.3	63.2	5	2	BR	BO	UN
80.5	-13.2	67.3	5	2	BR	BO	UN
84.5	-13.2	71.3	5	2	BR	BO	UN
88.4	-13.2	75.2	5	2	BR	BO	UN
92.3	-17.3	75	5	2	BR	BO	UN
94.2	-19.7	74.5	5	2	BR	BO	UN
97.7	-24.9	72.8	5	2	BR	BO	UN
97.6	-25.3	72.3	5	2	BR	BO	UN
97.6	-25.7	71.9	5	2	BR	BO	UN
56.3	-16.7	39.6	6	2	BR	BO	UN
61.8	-16.1	45.7	6	2	BR	BO	UN
61.7	-16.2	45.5	6	2	BR	BO	UN
67.7	-16.2	51.5	6	2	BR	BO	UN
73.7	-16.2	57.5	6	2	BR	BO	UN
77.6	-15.9	61.7	6	2	BR	BO	UN
81.7	-15.9	65.8	6	2	BR	BO	UN
85.6	-15.6	70	6	2	BR	BO	UN
89.5	-15.9	73.6	6	2	BR	BO	UN
93.5	-18.8	74.7	6	2	BR	BO	UN
95.3	-21.4	73.9	6	2	BR	BO	UN
98.8	-27.6	71.2	6	2	BR	BO	UN
98.7	-27.7	71	6	2	BR	BO	UN
98.6	-27	71.6	6	2	BR	BO	UN
53.9	-14.4	39.5	7	2	BR	BO	UN
59.5	-14	45.5	7	2	BR	BO	UN
59.5	-14	45.5	7	2	BR	BO	UN
65.4	-14.1	51.3	7	2	BR	BO	UN
71.3	-13.9	57.4	7	2	BR	BO	UN
75.2	-13.9	61.3	7	2	BR	BO	UN
79.2	-13.9	65.3	7	2	BR	BO	UN
83.1	-13.9	69.2	7	2	BR	BO	UN
87.1	-14	73.1	7	2	BR	BO	UN
91	-14.3	76.7	7	2	BR	BO	UN
93	-16.3	76.7	7	2	BR	BO	UN
94.8	-17.9	76.9	7	2	BR	BO	UN
94.9	-17.9	77	7	2	BR	BO	UN
95	-18.1	76.9	7	2	BR	BO	UN
55.3	-5.7	49.6	8	2	BR	BO	UN
61.2	-5.6	55.6	8	2	BR	BO	UN
61.2	-5.6	55.6	8	2	BR	BO	UN
67.2	-5.6	61.6	8	2	BR	BO	UN
73.1	-5.5	67.6	8	2	BR	BO	UN
77.1	-5.5	71.6	8	2	BR	BO	UN

81.1	-5.6	75.5	8	2	BR	BO	UN
85.1	-8.6	76.5	8	2	BR	BO	UN
89	-12.5	76.5	8	2	BR	BO	UN
92.8	-16.1	76.7	8	2	BR	BO	UN
94.7	-17.7	77	8	2	BR	BO	UN
95.3	-19	76.3	8	2	BR	BO	UN
95.2	-18.2	77	8	2	BR	BO	UN
95.2	-18.5	76.7	8	2	BR	BO	UN
54.5	-5.6	48.9	9	2	BR	BO	UN
60.4	-5.5	54.9	9	2	BR	BO	UN
60.4	-5.5	54.9	9	2	BR	BO	UN
66.3	-5.5	60.8	9	2	BR	BO	UN
72.3	-5.5	66.8	9	2	BR	BO	UN
76.3	-5.5	70.8	9	2	BR	BO	UN
80.3	-5.5	74.8	9	2	BR	BO	UN
84.2	-9.2	75	9	2	BR	BO	UN
88.2	-13.5	74.7	9	2	BR	BO	UN
92.1	-18.5	73.6	9	2	BR	BO	UN
93.5	-20	73.5	9	2	BR	BO	UN
93.5	-20	73.5	9	2	BR	BO	UN
93.5	-19.9	73.6	9	2	BR	BO	UN
93.6	-20	73.6	9	2	BR	BO	UN
56.5	-11.1	45.4	10	2	BR	BO	UN
62.4	-11.1	51.3	10	2	BR	BO	UN
62.3	-11	51.3	10	2	BR	BO	UN
68.2	-11	57.2	10	2	BR	BO	UN
74.3	-11.1	63.2	10	2	BR	BO	UN
78.1	-11	67.1	10	2	BR	BO	UN
82.1	-11.1	71	10	2	BR	BO	UN
86.1	-11.8	74.3	10	2	BR	BO	UN
90	-15.4	74.6	10	2	BR	BO	UN
92.8	-17.9	74.9	10	2	BR	BO	UN
93.1	-18.2	74.9	10	2	BR	BO	UN
93.5	-18.4	75.1	10	2	BR	BO	UN
93.8	-18.7	75.1	10	2	BR	BO	UN
94	-18.8	75.2	10	2	BR	BO	UN
54.5	4.2	58.7	3	1	BR	KTW	UN
60.5	1.9	62.4	3	1	BR	KTW	UN
60.4	2.1	62.5	3	1	BR	KTW	UN
66.4	0.7	67.1	3	1	BR	KTW	UN
72.4	-0.1	72.3	3	1	BR	KTW	UN
76.4	-0.4	76	3	1	BR	KTW	UN
80.3	-0.6	79.7	3	1	BR	KTW	UN
84.3	-0.7	83.6	3	1	BR	KTW	UN

88.3	-2.7	85.6	3	1	BR	KTW	UN
92	-6.6	85.4	3	1	BR	KTW	UN
93.9	-8.7	85.2	3	1	BR	KTW	UN
97.3	-12.2	85.1	3	1	BR	KTW	UN
98.3	-12.8	85.5	3	1	BR	KTW	UN
98.2	-12.8	85.4	3	1	BR	KTW	UN
54.4	-0.2	54.2	4	1	BR	KTW	UN
60.2	-4.5	55.7	4	1	BR	KTW	UN
60.3	-4.2	56.1	4	1	BR	KTW	UN
66.2	-8	58.2	4	1	BR	KTW	UN
72.5	-10.5	62	4	1	BR	KTW	UN
76.5	-11.8	64.7	4	1	BR	KTW	UN
80.4	-12.7	67.7	4	1	BR	KTW	UN
84.5	-15.8	68.7	4	1	BR	KTW	UN
88.5	-21.6	66.9	4	1	BR	KTW	UN
92.3	-25.1	67.2	4	1	BR	KTW	UN
94.2	-23.6	70.6	4	1	BR	KTW	UN
97.8	-32.1	65.7	4	1	BR	KTW	UN
98.3	-30.8	67.5	4	1	BR	KTW	UN
98.1	-31	67.1	4	1	BR	KTW	UN
53.4	-0.5	52.9	5	1	BR	KTW	UN
59.3	-6.8	52.5	5	1	BR	KTW	UN
59.1	-6.8	52.3	5	1	BR	KTW	UN
65.1	-12.1	53	5	1	BR	KTW	UN
71.1	-18.4	52.7	5	1	BR	KTW	UN
75.1	-22.3	52.8	5	1	BR	KTW	UN
79	-26.4	52.6	5	1	BR	KTW	UN
83.1	-34.3	48.8	5	1	BR	KTW	UN
87	-42.1	44.9	5	1	BR	KTW	UN
90.9	-49.7	41.2	5	1	BR	KTW	UN
92.8	-53.7	39.1	5	1	BR	KTW	UN
96.3	-60.7	35.6	5	1	BR	KTW	UN
96.2	-60.6	35.6	5	1	BR	KTW	UN
96.2	-60.1	36.1	5	1	BR	KTW	UN
54.4	-8.2	46.2	6	1	BR	KTW	UN
60.2	-14	46.2	6	1	BR	KTW	UN
60.2	-13.5	46.7	6	1	BR	KTW	UN
66.2	-20.1	46.1	6	1	BR	KTW	UN
72.3	-25.6	46.7	6	1	BR	KTW	UN
76.3	-32	44.3	6	1	BR	KTW	UN
80.3	-39.6	40.7	6	1	BR	KTW	UN
84.2	-48.7	35.5	6	1	BR	KTW	UN

88.1	-56.8	31.3	6	1	BR	KTW	UN
92.1	-64.7	27.4	6	1	BR	KTW	UN
94.1	-66.8	27.3	6	1	BR	KTW	UN
96.6	-69.7	26.9	6	1	BR	KTW	UN
96.6	-69.3	27.3	6	1	BR	KTW	UN
96.6	-69.8	26.8	6	1	BR	KTW	UN
50.9	52.3	1.4	7	1	BR	KTW	UN
56.6	52.3	-4.3	7	1	BR	KTW	UN
56.6	52.4	-4.2	7	1	BR	KTW	UN
62.4	52.2	-10.2	7	1	BR	KTW	UN
68.4	50.8	-17.6	7	1	BR	KTW	UN
72.4	46.7	-25.7	7	1	BR	KTW	UN
76.4	42.5	-33.9	7	1	BR	KTW	UN
80.4	39	-41.4	7	1	BR	KTW	UN
84.3	35.5	-48.8	7	1	BR	KTW	UN
88.2	33.4	-54.8	7	1	BR	KTW	UN
90.2	33.4	-56.8	7	1	BR	KTW	UN
92.1	33.2	-58.9	7	1	BR	KTW	UN
92.1	33.2	-58.9	7	1	BR	KTW	UN
92.2	33.5	-58.7	7	1	BR	KTW	UN
54.5	-2.2	52.3	8	1	BR	KTW	UN
60.4	-7.9	52.5	8	1	BR	KTW	UN
60.4	-8	52.4	8	1	BR	KTW	UN
66.3	-13.7	52.6	8	1	BR	KTW	UN
72.3	-24.9	47.4	8	1	BR	KTW	UN
76.3	-32.6	43.7	8	1	BR	KTW	UN
80.3	-40.6	39.7	8	1	BR	KTW	UN
84.2	-48.6	35.6	8	1	BR	KTW	UN
88.1	-54.9	33.2	8	1	BR	KTW	UN
92.1	-58.5	33.6	8	1	BR	KTW	UN
94	-60.2	33.8	8	1	BR	KTW	UN
94.7	-60.9	33.8	8	1	BR	KTW	UN
94.7	-61.2	33.5	8	1	BR	KTW	UN
94.7	-61.5	33.2	8	1	BR	KTW	UN
54.1	-1.8	52.3	9	1	BR	KTW	UN
60	-7.7	52.3	9	1	BR	KTW	UN
60	-7.9	52.1	9	1	BR	KTW	UN
65.9	-13.4	52.5	9	1	BR	KTW	UN
71.9	-17.8	54.1	9	1	BR	KTW	UN
75.9	-18.1	57.8	9	1	BR	KTW	UN
79.8	-26.2	53.6	9	1	BR	KTW	UN
83.8	-43.7	40.1	9	1	BR	KTW	UN

87.7	-51.5	36.2	9	1	BR	KTW	UN
91.5	-58.3	33.2	9	1	BR	KTW	UN
92.8	-59.6	33.2	9	1	BR	KTW	UN
92.7	-59.5	33.2	9	1	BR	KTW	UN
92.6	-59.7	32.9	9	1	BR	KTW	UN
92.6	-59.5	33.1	9	1	BR	KTW	UN
57.4	-4.4	53	10	1	BR	KTW	UN
63.3	-10.4	52.9	10	1	BR	KTW	UN
63.3	-10.2	53.1	10	1	BR	KTW	UN
69.2	-16	53.2	10	1	BR	KTW	UN
75.2	-24.5	50.7	10	1	BR	KTW	UN
79.1	-32.2	46.9	10	1	BR	KTW	UN
83.1	-40	43.1	10	1	BR	KTW	UN
87	-47.9	39.1	10	1	BR	KTW	UN
90.1	-54.5	35.6	10	1	BR	KTW	UN
93.5	-58.5	35	10	1	BR	KTW	UN
93.7	-58.3	35.4	10	1	BR	KTW	UN
93.9	-58.3	35.6	10	1	BR	KTW	UN
94.2	-58.7	35.5	10	1	BR	KTW	UN
94.4	-58.9	35.5	10	1	BR	KTW	UN
54.5	7.4	61.9	3	2	BR	KTW	UN
60.5	4.1	64.6	3	2	BR	KTW	UN
60.4	4.2	64.6	3	2	BR	KTW	UN
66.4	1.9	68.3	3	2	BR	KTW	UN
72.4	0.3	72.7	3	2	BR	KTW	UN
76.4	-0.2	76.2	3	2	BR	KTW	UN
80.3	-0.6	79.7	3	2	BR	KTW	UN
84.3	-0.7	83.6	3	2	BR	KTW	UN
88.3	-0.9	87.4	3	2	BR	KTW	UN
92	-1.4	90.6	3	2	BR	KTW	UN
93.9	-3.6	90.3	3	2	BR	KTW	UN
97.3	-7.7	89.6	3	2	BR	KTW	UN
98.3	-9	89.3	3	2	BR	KTW	UN
98.2	-8.9	89.3	3	2	BR	KTW	UN
54.4	5.3	59.7	4	2	BR	KTW	UN
60.2	0.3	60.5	4	2	BR	KTW	UN
60.3	0.4	60.7	4	2	BR	KTW	UN
66.2	-3.8	62.4	4	2	BR	KTW	UN
72.5	-7.8	64.7	4	2	BR	KTW	UN
76.5	-10.4	66.1	4	2	BR	KTW	UN
80.4	-11.9	68.5	4	2	BR	KTW	UN
84.5	-12.3	72.2	4	2	BR	KTW	UN

88.5	-14	74.5	4	2	BR	KTW	UN
92.3	-14.9	77.4	4	2	BR	KTW	UN
94.2	-17.6	76.6	4	2	BR	KTW	UN
97.8	-19.7	78.1	4	2	BR	KTW	UN
98.3	-20.1	78.2	4	2	BR	KTW	UN
98.1	-23.2	74.9	4	2	BR	KTW	UN
53.4	5.2	58.6	5	2	BR	KTW	UN
59.3	-0.5	58.8	5	2	BR	KTW	UN
59.1	-0.5	58.6	5	2	BR	KTW	UN
65.1	-6.6	58.5	5	2	BR	KTW	UN
71.1	-12.5	58.6	5	2	BR	KTW	UN
75.1	-16.4	58.7	5	2	BR	KTW	UN
79	-20	59	5	2	BR	KTW	UN
83.1	-24.3	58.8	5	2	BR	KTW	UN
87	-28.2	58.8	5	2	BR	KTW	UN
90.9	-33	57.9	5	2	BR	KTW	UN
92.8	-35.7	57.1	5	2	BR	KTW	UN
96.3	-40.7	55.6	5	2	BR	KTW	UN
96.2	-40.4	55.8	5	2	BR	KTW	UN
96.2	-39.6	56.6	5	2	BR	KTW	UN
54.4	-4	50.4	6	2	BR	KTW	UN
60.2	-9.7	50.5	6	2	BR	KTW	UN
60.2	-9.6	50.6	6	2	BR	KTW	UN
66.2	-15.2	51	6	2	BR	KTW	UN
72.3	-21.4	50.9	6	2	BR	KTW	UN
76.3	-25.2	51.1	6	2	BR	KTW	UN
80.3	-28.9	51.4	6	2	BR	KTW	UN
84.2	-32.8	51.4	6	2	BR	KTW	UN
88.1	-37.1	51	6	2	BR	KTW	UN
92.1	-41.8	50.3	6	2	BR	KTW	UN
94.1	-45	49.1	6	2	BR	KTW	UN
96.6	-48.1	48.5	6	2	BR	KTW	UN
96.6	-48	48.6	6	2	BR	KTW	UN
96.6	-47.9	48.7	6	2	BR	KTW	UN
50.9	7.8	58.7	7	2	BR	KTW	UN
56.6	1.8	58.4	7	2	BR	KTW	UN
56.6	1.7	58.3	7	2	BR	KTW	UN
62.4	-4.2	58.2	7	2	BR	KTW	UN
68.4	-10.2	58.2	7	2	BR	KTW	UN
72.4	-13.9	58.5	7	2	BR	KTW	UN
76.4	-17.7	58.7	7	2	BR	KTW	UN
80.4	-21.8	58.6	7	2	BR	KTW	UN

84.3	-25.6	58.7	7	2	BR	KTW	UN
88.2	-29.4	58.8	7	2	BR	KTW	UN
90.2	-31.5	58.7	7	2	BR	KTW	UN
92.1	-34.4	57.7	7	2	BR	KTW	UN
92.1	-34.6	57.5	7	2	BR	KTW	UN
92.2	-34.7	57.5	7	2	BR	KTW	UN
54.5	4	58.5	8	2	BR	KTW	UN
60.4	-1.7	58.7	8	2	BR	KTW	UN
60.4	-2.2	58.2	8	2	BR	KTW	UN
66.3	-7.9	58.4	8	2	BR	KTW	UN
72.3	-13.8	58.5	8	2	BR	KTW	UN
76.3	-17.6	58.7	8	2	BR	KTW	UN
80.3	-21.8	58.5	8	2	BR	KTW	UN
84.2	-25.6	58.6	8	2	BR	KTW	UN
88.1	-31.3	56.8	8	2	BR	KTW	UN
92.1	-33.6	58.5	8	2	BR	KTW	UN
94	-31.2	62.8	8	2	BR	KTW	UN
94.7	-27.9	66.8	8	2	BR	KTW	UN
94.7	-29	65.7	8	2	BR	KTW	UN
94.7	-28.9	65.8	8	2	BR	KTW	UN
54.1	4.2	58.3	9	2	BR	KTW	UN
60	-1.6	58.4	9	2	BR	KTW	UN
60	-1.6	58.4	9	2	BR	KTW	UN
65.9	-7.2	58.7	9	2	BR	KTW	UN
71.9	-13.5	58.4	9	2	BR	KTW	UN
75.9	-17.3	58.6	9	2	BR	KTW	UN
79.8	-21.1	58.7	9	2	BR	KTW	UN
83.8	-25.3	58.5	9	2	BR	KTW	UN
87.7	-29.6	58.1	9	2	BR	KTW	UN
91.5	-34.9	56.6	9	2	BR	KTW	UN
92.8	-36.7	56.1	9	2	BR	KTW	UN
92.7	-36.8	55.9	9	2	BR	KTW	UN
92.6	-36.6	56	9	2	BR	KTW	UN
92.6	-36.5	56.1	9	2	BR	KTW	UN
57.4	1.4	58.8	10	2	BR	KTW	UN
63.3	-4.2	59.1	10	2	BR	KTW	UN
63.3	-4.2	59.1	10	2	BR	KTW	UN
69.2	-10	59.2	10	2	BR	KTW	UN
75.2	-16.1	59.1	10	2	BR	KTW	UN
79.1	-19.6	59.5	10	2	BR	KTW	UN
83.1	-23.7	59.4	10	2	BR	KTW	UN
87	-27.8	59.2	10	2	BR	KTW	UN

90.1	-31	59.1	10	2	BR	KTW	UN
93.5	-35.6	57.9	10	2	BR	KTW	UN
93.7	-36.3	57.4	10	2	BR	KTW	UN
93.9	-36.6	57.3	10	2	BR	KTW	UN
94.2	-36.8	57.4	10	2	BR	KTW	UN
94.4	-36	58.4	10	2	BR	KTW	UN
54.5	4.2	58.7	3	1	BR	KTW	C
60.5	1.9	62.4	3	1	BR	KTW	C
60.4	2.1	62.5	3	1	BR	KTW	C
66.4	0.7	67.1	3	1	BR	KTW	C
72.4	-0.1	72.3	3	1	BR	KTW	C
76.4	-0.4	76	3	1	BR	KTW	C
80.3	-0.6	79.7	3	1	BR	KTW	C
84.3	-0.7	83.6	3	1	BR	KTW	C
88.3	-2.7	85.6	3	1	BR	KTW	C
92	-6.6	85.4	3	1	BR	KTW	C
93.9	-8.7	85.2	3	1	BR	KTW	C
97.3	-12.2	85.1	3	1	BR	KTW	C
98.3	-12.8	85.5	3	1	BR	KTW	C
98.2	-12.8	85.4	3	1	BR	KTW	C
54.4	-0.2	54.2	4	1	BR	KTW	C
60.2	-4.5	55.7	4	1	BR	KTW	C
60.3	-4.2	56.1	4	1	BR	KTW	C
66.2	-8	58.2	4	1	BR	KTW	C
72.5	-10.5	62	4	1	BR	KTW	C
76.5	-11.8	64.7	4	1	BR	KTW	C
80.4	-12.7	67.7	4	1	BR	KTW	C
84.5	-15.8	68.7	4	1	BR	KTW	C
88.5	-21.6	66.9	4	1	BR	KTW	C
92.3	-25.1	67.2	4	1	BR	KTW	C
94.2	-23.6	70.6	4	1	BR	KTW	C
97.8	-32.1	65.7	4	1	BR	KTW	C
98.3	-30.8	67.5	4	1	BR	KTW	C
98.1	-31	67.1	4	1	BR	KTW	C
53.4	-0.5	52.9	5	1	BR	KTW	C
59.3	-6.8	52.5	5	1	BR	KTW	C
59.1	-6.8	52.3	5	1	BR	KTW	C
65.1	-12.1	53	5	1	BR	KTW	C
71.1	-18.4	52.7	5	1	BR	KTW	C
75.1	-22.3	52.8	5	1	BR	KTW	C
79	-26.4	52.6	5	1	BR	KTW	C
83.1	-34.3	48.8	5	1	BR	KTW	C
87	-42.1	44.9	5	1	BR	KTW	C
90.9	-49.7	41.2	5	1	BR	KTW	C

92.8	-53.7	39.1	5	1	BR	KTW	C
96.3	-60.7	35.6	5	1	BR	KTW	C
96.2	-60.6	35.6	5	1	BR	KTW	C
96.2	-60.1	36.1	5	1	BR	KTW	C
54.4	-8.2	46.2	6	1	BR	KTW	C
60.2	-14	46.2	6	1	BR	KTW	C
60.2	-13.5	46.7	6	1	BR	KTW	C
66.2	-20.1	46.1	6	1	BR	KTW	C
72.3	-25.6	46.7	6	1	BR	KTW	C
76.3	-32	44.3	6	1	BR	KTW	C
80.3	-39.6	40.7	6	1	BR	KTW	C
84.2	-48.7	35.5	6	1	BR	KTW	C
88.1	-56.8	31.3	6	1	BR	KTW	C
92.1	-64.7	27.4	6	1	BR	KTW	C
94.1	-66.8	27.3	6	1	BR	KTW	C
96.6	-69.7	26.9	6	1	BR	KTW	C
96.6	-69.3	27.3	6	1	BR	KTW	C
96.6	-69.8	26.8	6	1	BR	KTW	C
50.9	1.4	52.3	7	1	BR	KTW	C
56.6	-4.3	52.3	7	1	BR	KTW	C
56.6	-4.2	52.4	7	1	BR	KTW	C
62.4	-10.2	52.2	7	1	BR	KTW	C
68.4	-17.6	50.8	7	1	BR	KTW	C
72.4	-25.7	46.7	7	1	BR	KTW	C
76.4	-33.9	42.5	7	1	BR	KTW	C
80.4	-41.4	39	7	1	BR	KTW	C
84.3	-48.8	35.5	7	1	BR	KTW	C
88.2	-54.8	33.4	7	1	BR	KTW	C
90.2	-56.8	33.4	7	1	BR	KTW	C
92.1	-58.9	33.2	7	1	BR	KTW	C
92.1	-58.9	33.2	7	1	BR	KTW	C
92.2	-58.7	33.5	7	1	BR	KTW	C
54.5	-2.2	52.3	8	1	BR	KTW	C
60.4	-7.9	52.5	8	1	BR	KTW	C
60.4	-8	52.4	8	1	BR	KTW	C
66.3	-13.7	52.6	8	1	BR	KTW	C
72.3	-24.9	47.4	8	1	BR	KTW	C
76.3	-32.6	43.7	8	1	BR	KTW	C
80.3	-40.6	39.7	8	1	BR	KTW	C
84.2	-48.6	35.6	8	1	BR	KTW	C
88.1	-54.9	33.2	8	1	BR	KTW	C
92.1	-58.5	33.6	8	1	BR	KTW	C
94	-60.2	33.8	8	1	BR	KTW	C
94.7	-60.9	33.8	8	1	BR	KTW	C

94.7	-61.2	33.5	8	1	BR	KTW	C
94.7	-61.5	33.2	8	1	BR	KTW	C
54.1	-1.8	52.3	9	1	BR	KTW	C
60	-7.7	52.3	9	1	BR	KTW	C
60	-7.9	52.1	9	1	BR	KTW	C
65.9	-13.4	52.5	9	1	BR	KTW	C
71.9	-17.8	54.1	9	1	BR	KTW	C
75.9	-18.1	57.8	9	1	BR	KTW	C
79.8	-26.2	53.6	9	1	BR	KTW	C
83.8	-43.7	40.1	9	1	BR	KTW	C
87.7	-51.5	36.2	9	1	BR	KTW	C
91.5	-58.3	33.2	9	1	BR	KTW	C
92.8	-59.6	33.2	9	1	BR	KTW	C
92.7	-59.5	33.2	9	1	BR	KTW	C
92.6	-59.7	32.9	9	1	BR	KTW	C
92.6	-59.5	33.1	9	1	BR	KTW	C
57.4	-4.4	53	10	1	BR	KTW	C
63.3	-10.4	52.9	10	1	BR	KTW	C
63.3	-10.2	53.1	10	1	BR	KTW	C
69.2	-16	53.2	10	1	BR	KTW	C
75.2	-24.5	50.7	10	1	BR	KTW	C
79.1	-32.2	46.9	10	1	BR	KTW	C
83.1	-40	43.1	10	1	BR	KTW	C
87	-47.9	39.1	10	1	BR	KTW	C
90.1	-54.5	35.6	10	1	BR	KTW	C
93.5	-58.5	35	10	1	BR	KTW	C
93.7	-58.3	35.4	10	1	BR	KTW	C
93.9	-58.3	35.6	10	1	BR	KTW	C
94.2	-58.7	35.5	10	1	BR	KTW	C
94.4	-58.9	35.5	10	1	BR	KTW	C
54.5	7.4	61.9	3	2	BR	KTW	C
60.5	4.1	64.6	3	2	BR	KTW	C
60.4	4.2	64.6	3	2	BR	KTW	C
66.4	1.9	68.3	3	2	BR	KTW	C
72.4	0.3	72.7	3	2	BR	KTW	C
76.4	-0.2	76.2	3	2	BR	KTW	C
80.3	-0.6	79.7	3	2	BR	KTW	C
84.3	-0.7	83.6	3	2	BR	KTW	C
88.3	-0.9	87.4	3	2	BR	KTW	C
92	-1.4	90.6	3	2	BR	KTW	C
93.9	-3.6	90.3	3	2	BR	KTW	C
97.3	-7.7	89.6	3	2	BR	KTW	C
98.3	-9	89.3	3	2	BR	KTW	C
98.2	-8.9	89.3	3	2	BR	KTW	C

54.4	5.3	59.7	4	2	BR	KTW	C
60.2	0.3	60.5	4	2	BR	KTW	C
60.3	0.4	60.7	4	2	BR	KTW	C
66.2	-3.8	62.4	4	2	BR	KTW	C
72.5	-7.8	64.7	4	2	BR	KTW	C
76.5	-10.4	66.1	4	2	BR	KTW	C
80.4	-11.9	68.5	4	2	BR	KTW	C
84.5	-12.3	72.2	4	2	BR	KTW	C
88.5	-14	74.5	4	2	BR	KTW	C
92.3	-14.9	77.4	4	2	BR	KTW	C
94.2	-17.6	76.6	4	2	BR	KTW	C
97.8	-19.7	78.1	4	2	BR	KTW	C
98.3	-20.1	78.2	4	2	BR	KTW	C
98.1	-23.2	74.9	4	2	BR	KTW	C
53.4	5.2	58.6	5	2	BR	KTW	C
59.3	-0.5	58.8	5	2	BR	KTW	C
59.1	-0.5	58.6	5	2	BR	KTW	C
65.1	-6.6	58.5	5	2	BR	KTW	C
71.1	-12.5	58.6	5	2	BR	KTW	C
75.1	-16.4	58.7	5	2	BR	KTW	C
79	-20	59	5	2	BR	KTW	C
83.1	-24.3	58.8	5	2	BR	KTW	C
87	-28.2	58.8	5	2	BR	KTW	C
90.9	-33	57.9	5	2	BR	KTW	C
92.8	-35.7	57.1	5	2	BR	KTW	C
96.3	-40.7	55.6	5	2	BR	KTW	C
96.2	-40.4	55.8	5	2	BR	KTW	C
96.2	-39.6	56.6	5	2	BR	KTW	C
54.4	-4	50.4	6	2	BR	KTW	C
60.2	-9.7	50.5	6	2	BR	KTW	C
60.2	-9.6	50.6	6	2	BR	KTW	C
66.2	-15.2	51	6	2	BR	KTW	C
72.3	-21.4	50.9	6	2	BR	KTW	C
76.3	-25.2	51.1	6	2	BR	KTW	C
80.3	-28.9	51.4	6	2	BR	KTW	C
84.2	-32.8	51.4	6	2	BR	KTW	C
88.1	-37.1	51	6	2	BR	KTW	C
92.1	-41.8	50.3	6	2	BR	KTW	C
94.1	-45	49.1	6	2	BR	KTW	C
96.6	-48.1	48.5	6	2	BR	KTW	C
96.6	-48	48.6	6	2	BR	KTW	C
96.6	-47.9	48.7	6	2	BR	KTW	C
50.9	7.8	58.7	7	2	BR	KTW	C
56.6	1.8	58.4	7	2	BR	KTW	C

56.6	1.7	58.3	7	2	BR	KTW	C
62.4	-4.2	58.2	7	2	BR	KTW	C
68.4	-10.2	58.2	7	2	BR	KTW	C
72.4	-13.9	58.5	7	2	BR	KTW	C
76.4	-17.7	58.7	7	2	BR	KTW	C
80.4	-21.8	58.6	7	2	BR	KTW	C
84.3	-25.6	58.7	7	2	BR	KTW	C
88.2	-29.4	58.8	7	2	BR	KTW	C
90.2	-31.5	58.7	7	2	BR	KTW	C
92.1	-34.4	57.7	7	2	BR	KTW	C
92.1	-34.6	57.5	7	2	BR	KTW	C
92.2	-34.7	57.5	7	2	BR	KTW	C
54.5	4	58.5	8	2	BR	KTW	C
60.4	-1.7	58.7	8	2	BR	KTW	C
60.4	-2.2	58.2	8	2	BR	KTW	C
66.3	-7.9	58.4	8	2	BR	KTW	C
72.3	-13.8	58.5	8	2	BR	KTW	C
76.3	-17.6	58.7	8	2	BR	KTW	C
80.3	-21.8	58.5	8	2	BR	KTW	C
84.2	-25.6	58.6	8	2	BR	KTW	C
88.1	-31.3	56.8	8	2	BR	KTW	C
92.1	-33.6	58.5	8	2	BR	KTW	C
94	-31.2	62.8	8	2	BR	KTW	C
94.7	-27.9	66.8	8	2	BR	KTW	C
94.7	-29	65.7	8	2	BR	KTW	C
94.7	-28.9	65.8	8	2	BR	KTW	C
54.1	4.2	58.3	9	2	BR	KTW	C
60	-1.6	58.4	9	2	BR	KTW	C
60	-1.6	58.4	9	2	BR	KTW	C
65.9	-7.2	58.7	9	2	BR	KTW	C
71.9	-13.5	58.4	9	2	BR	KTW	C
75.9	-17.3	58.6	9	2	BR	KTW	C
79.8	-21.1	58.7	9	2	BR	KTW	C
83.8	-25.3	58.5	9	2	BR	KTW	C
87.7	-29.6	58.1	9	2	BR	KTW	C
91.5	-34.9	56.6	9	2	BR	KTW	C
92.8	-36.7	56.1	9	2	BR	KTW	C
92.7	-36.8	55.9	9	2	BR	KTW	C
92.6	-36.6	56	9	2	BR	KTW	C
92.6	-36.5	56.1	9	2	BR	KTW	C
57.4	1.4	58.8	10	2	BR	KTW	C
63.3	-4.2	59.1	10	2	BR	KTW	C
63.3	-4.2	59.1	10	2	BR	KTW	C
69.2	-10	59.2	10	2	BR	KTW	C

75.2	-16.1	59.1	10	2	BR	KTW	C
79.1	-19.6	59.5	10	2	BR	KTW	C
83.1	-23.7	59.4	10	2	BR	KTW	C
87	-27.8	59.2	10	2	BR	KTW	C
90.1	-31	59.1	10	2	BR	KTW	C
93.5	-35.6	57.9	10	2	BR	KTW	C
93.7	-36.3	57.4	10	2	BR	KTW	C
93.9	-36.6	57.3	10	2	BR	KTW	C
94.2	-36.8	57.4	10	2	BR	KTW	C
94.4	-36	58.4	10	2	BR	KTW	C
55.9	4.8	60.7	3	1	BR	KEWL	UN
61.6	1.5	63.1	3	1	BR	KEWL	UN
61.6	0	61.6	3	1	BR	KEWL	UN
67.6	-6.2	61.4	3	1	BR	KEWL	UN
73.5	-11.6	61.9	3	1	BR	KEWL	UN
77.5	-13.1	64.4	3	1	BR	KEWL	UN
81.6	-17.3	64.3	3	1	BR	KEWL	UN
85.4	-21.1	64.3	3	1	BR	KEWL	UN
89.4	-27.5	61.9	3	1	BR	KEWL	UN
93.3	-33.9	59.4	3	1	BR	KEWL	UN
95.1	-36.4	58.7	3	1	BR	KEWL	UN
98.4	-41.4	57	3	1	BR	KEWL	UN
99.3	-42.5	56.8	3	1	BR	KEWL	UN
99.1	-42.4	56.7	3	1	BR	KEWL	UN
55	6.84	61.84	6	1	BR	KEWL	UN
60.9	1.04	61.94	6	1	BR	KEWL	UN
60.9	0.8	61.7	6	1	BR	KEWL	UN
66.9	-5.52	61.38	6	1	BR	KEWL	UN
72.8	-10.61	62.19	6	1	BR	KEWL	UN
76.9	-17.89	59.01	6	1	BR	KEWL	UN
80.8	-24.99	55.81	6	1	BR	KEWL	UN
84.8	-32.27	52.53	6	1	BR	KEWL	UN
88.7	-39.7	49	6	1	BR	KEWL	UN
92.7	-45.68	47.02	6	1	BR	KEWL	UN
94.5	-46.12	48.38	6	1	BR	KEWL	UN
97.1	-97.1	0	6	1	BR	KEWL	UN
97	-48.75	48.25	6	1	BR	KEWL	UN
96.9	-47.93	48.97	6	1	BR	KEWL	UN
58.5	4.6	63.1	10	1	BR	KEWL	UN
64.4	-2.3	62.1	10	1	BR	KEWL	UN
64.3	-2.1	62.2	10	1	BR	KEWL	UN
70.3	-7.8	62.5	10	1	BR	KEWL	UN
76.3	-14.1	62.2	10	1	BR	KEWL	UN
80.2	-21.58	58.62	10	1	BR	KEWL	UN

84.1	-29.6	54.5	10	1	BR	KEWL	UN
86.4	-35	51.4	10	1	BR	KEWL	UN
92	-43.7	48.3	10	1	BR	KEWL	UN
94.6	-46.3	48.3	10	1	BR	KEWL	UN
94.8	-47	47.8	10	1	BR	KEWL	UN
94.9	-48	46.9	10	1	BR	KEWL	UN
95.1	-48.3	46.8	10	1	BR	KEWL	UN
95.2	-48.1	47.1	10	1	BR	KEWL	UN
56.4	10.4	66.8	3	2	BR	KEWL	UN
62.1	5.3	67.4	3	2	BR	KEWL	UN
62	4.9	66.9	3	2	BR	KEWL	UN
68	-1.3	66.7	3	2	BR	KEWL	UN
74	-7.2	66.8	3	2	BR	KEWL	UN
78	-12.1	65.9	3	2	BR	KEWL	UN
82	-16.1	65.9	3	2	BR	KEWL	UN
85.9	-20.3	65.6	3	2	BR	KEWL	UN
89.9	-23.8	66.1	3	2	BR	KEWL	UN
93.6	-28	65.6	3	2	BR	KEWL	UN
95.5	-30.9	64.6	3	2	BR	KEWL	UN
98.8	-35	63.8	3	2	BR	KEWL	UN
99.7	-35.8	63.9	3	2	BR	KEWL	UN
99.6	-35.8	63.8	3	2	BR	KEWL	UN
55	8.6	63.6	6	2	BR	KEWL	UN
60.9	2.6	63.5	6	2	BR	KEWL	UN
60.9	2.5	63.4	6	2	BR	KEWL	UN
66.9	-3.3	63.6	6	2	BR	KEWL	UN
72.8	-9.1	63.7	6	2	BR	KEWL	UN
76.9	-13.3	63.6	6	2	BR	KEWL	UN
80.8	-17	63.8	6	2	BR	KEWL	UN
84.8	-20.5	64.3	6	2	BR	KEWL	UN
88.7	-24.5	64.2	6	2	BR	KEWL	UN
92.7	-29.9	62.8	6	2	BR	KEWL	UN
94.5	-32.5	62	6	2	BR	KEWL	UN
97.1	-35.6	61.5	6	2	BR	KEWL	UN
97	-34.4	62.6	6	2	BR	KEWL	UN
96.9	-34.2	62.7	6	2	BR	KEWL	UN
58.5	11.7	70.2	10	2	BR	KEWL	UN
64.4	4.1	68.5	10	2	BR	KEWL	UN
64.3	6.2	70.5	10	2	BR	KEWL	UN
70.3	-3.53	66.77	10	2	BR	KEWL	UN
76.3	-10.23	66.07	10	2	BR	KEWL	UN
80.2	-13.69	66.51	10	2	BR	KEWL	UN
84.1	-18	66.1	10	2	BR	KEWL	UN
86.4	-20.3	66.1	10	2	BR	KEWL	UN

92	-26	66	10	2	BR	KEWL	UN
94.6	-27.9	66.7	10	2	BR	KEWL	UN
94.8	-28.7	66.1	10	2	BR	KEWL	UN
94.9	-28.6	66.3	10	2	BR	KEWL	UN
95.1	-28.6	66.5	10	2	BR	KEWL	UN
95.2	-29.2	66	10	2	BR	KEWL	UN
56.4	-4.4	52	3	1	BR	KEWL	C
62.1	-6.1	56	3	1	BR	KEWL	C
62	-1.31	60.69	3	1	BR	KEWL	C
68	-2.2	65.8	3	1	BR	KEWL	C
74	-5.48	68.52	3	1	BR	KEWL	C
78	-8.71	69.29	3	1	BR	KEWL	C
82	-96.43	-14.43	3	1	BR	KEWL	C
85.9	-6.17	79.73	3	1	BR	KEWL	C
89.9	-29.81	60.09	3	1	BR	KEWL	C
93.6	-215.18	-121.58	3	1	BR	KEWL	C
95.5	-295.48	-199.98	3	1	BR	KEWL	C
98.8	-445.43	-346.63	3	1	BR	KEWL	C
99.7	-450.64	-350.94	3	1	BR	KEWL	C
99.6	-429.48	-329.88	3	1	BR	KEWL	C
55	13.5	68.5	6	1	BR	KEWL	C
60.9	7.72	68.62	6	1	BR	KEWL	C
60.9	11.77	72.67	6	1	BR	KEWL	C
66.9	13.36	80.26	6	1	BR	KEWL	C
72.8	5.6	78.4	6	1	BR	KEWL	C
76.9	7	83.9	6	1	BR	KEWL	C
80.8	3.77	84.57	6	1	BR	KEWL	C
84.8	-3.79	81.01	6	1	BR	KEWL	C
88.7	-15.27	73.43	6	1	BR	KEWL	C
92.7	-18.28	74.42	6	1	BR	KEWL	C
94.5	-16.85	77.65	6	1	BR	KEWL	C
97.1	-18.35	78.75	6	1	BR	KEWL	C
97	-18.58	78.42	6	1	BR	KEWL	C
96.9	-17.41	79.49	6	1	BR	KEWL	C
58.5	13.7	72.2	10	1	BR	KEWL	C
64.4	7.9	72.3	10	1	BR	KEWL	C
64.3	7.3	71.6	10	1	BR	KEWL	C
70.3	0.4	70.7	10	1	BR	KEWL	C
76.3	-4.2	72.1	10	1	BR	KEWL	C
80.2	-0.9	79.3	10	1	BR	KEWL	C
84.1	0.3	84.4	10	1	BR	KEWL	C
86.4	0	86.4	10	1	BR	KEWL	C
92	-6.75	85.25	10	1	BR	KEWL	C
94.6	-10.8	83.8	10	1	BR	KEWL	C

94.8	-11.4	83.4	10	1	BR	KEWL	C
94.9	-11.2	83.7	10	1	BR	KEWL	C
95.1	-11.1	84	10	1	BR	KEWL	C
95.2	-11.7	83.5	10	1	BR	KEWL	C
56.4	-386.4	-330	3	2	BR	KEWL	C
62.1	-389.1	-327	3	2	BR	KEWL	C
62	-1012	-950	3	2	BR	KEWL	C
68	-378	-310	3	2	BR	KEWL	C
74	-389	-315	3	2	BR	KEWL	C
78	-188	-110	3	2	BR	KEWL	C
82	-297	-215	3	2	BR	KEWL	C
85.9	-155.9	-70	3	2	BR	KEWL	C
89.9	-459.9	-370	3	2	BR	KEWL	C
93.6	-323.6	-230	3	2	BR	KEWL	C
95.5	-695.5	-600	3	2	BR	KEWL	C
98.8	-1468.8	-1370	3	2	BR	KEWL	C
99.7	-3399.7	-3300	3	2	BR	KEWL	C
99.6	-1499.6	-1400	3	2	BR	KEWL	C
55	-1335.6	-1280.6	6	2	BR	KEWL	C
60.9	-973.1	-912.2	6	2	BR	KEWL	C
60.9	-410.79	-349.89	6	2	BR	KEWL	C
66.9	-421.48	-354.58	6	2	BR	KEWL	C
72.8	-50.96	21.84	6	2	BR	KEWL	C
76.9	-97.8	-20.9	6	2	BR	KEWL	C
80.8	-23.5	57.3	6	2	BR	KEWL	C
84.8	-511.1	-426.3	6	2	BR	KEWL	C
88.7	-8.73	79.97	6	2	BR	KEWL	C
92.7	-419.1	-326.4	6	2	BR	KEWL	C
94.5	-938	-843.5	6	2	BR	KEWL	C
97.1	-1548.7	-1451.6	6	2	BR	KEWL	C
97	-1720.5	-1623.5	6	2	BR	KEWL	C
96.9	-1960.16	1863.26	6	2	BR	KEWL	C
58.5	-108.5	-50	10	2	BR	KEWL	C
64.4	-71.9	-7.5	10	2	BR	KEWL	C
64.3	-89.3	-25	10	2	BR	KEWL	C
70.3	-105.3	-35	10	2	BR	KEWL	C
76.3	-119.3	-43	10	2	BR	KEWL	C
80.2	-125.2	-45	10	2	BR	KEWL	C
84.1	-69	15.1	10	2	BR	KEWL	C
86.4	-69.2	17.2	10	2	BR	KEWL	C
92	-72.2	19.8	10	2	BR	KEWL	C
94.6	-100	-5.4	10	2	BR	KEWL	C
94.8	-84.1	10.7	10	2	BR	KEWL	C
94.9	-169.9	-75	10	2	BR	KEWL	C

95.1	-59.8	35.3	10	2	BR	KEWL	C
95.2	-315.2	-220	10	2	BR	KEWL	C
62.9	0	62.9	3	1	BR	BO	C
68.6	0	68.6	3	1	BR	BO	C
70.5	-1.6	68.9	3	1	BR	BO	C
75.3	-0.1	75.2	3	1	BR	BO	C
75.6	-0.6	75	3	1	BR	BO	C
81.3	-0.4	80.9	3	1	BR	BO	C
85.7	-0.8	84.9	3	1	BR	BO	C
89.8	-3.5	86.3	3	1	BR	BO	C
93.7	-7.5	86.2	3	1	BR	BO	C
97.6	-11.6	86	3	1	BR	BO	C
101.4	-14.9	86.5	3	1	BR	BO	C
103.4	-17.2	86.2	3	1	BR	BO	C
105.7	-18.6	87.1	3	1	BR	BO	C
107.4	-19.4	88	3	1	BR	BO	C
106.9	-19.3	87.6	3	1	BR	BO	C
56.3	12.8	69.1	6	1	BR	BO	C
62.3	12.4	74.7	6	1	BR	BO	C
62.1	12.6	74.7	6	1	BR	BO	C
68.3	12.2	80.5	6	1	BR	BO	C
68.6	12	80.6	6	1	BR	BO	C
74.5	9.2	83.7	6	1	BR	BO	C
78.3	5.2	83.5	6	1	BR	BO	C
82.3	1.3	83.6	6	1	BR	BO	C
86.4	-2.6	83.8	6	1	BR	BO	C
90.3	-3	87.3	6	1	BR	BO	C
94.3	-7.5	86.8	6	1	BR	BO	C
96.3	-9	87.3	6	1	BR	BO	C
99.2	-11.7	87.5	6	1	BR	BO	C
99.4	-12.3	87.1	6	1	BR	BO	C
99.5	-12.2	87.3	6	1	BR	BO	C
51.1	-2.6	48.5	10	1	BR	BO	C
57.7	-3.6	54.1	10	1	BR	BO	C
56.4	-2	54.4	10	1	BR	BO	C
63	-2.8	60.2	10	1	BR	BO	C
62.7	-2.5	60.2	10	1	BR	BO	C
69.4	-3.3	66.1	10	1	BR	BO	C
72.8	-6.2	66.6	10	1	BR	BO	C
77	-10.5	66.5	10	1	BR	BO	C
81.4	-14.8	66.6	10	1	BR	BO	C
85.3	-18.6	66.7	10	1	BR	BO	C

87.9	-21.1	66.8	10	1	BR	BO	C
88.5	-21.7	66.8	10	1	BR	BO	C
89.1	-22.3	66.8	10	1	BR	BO	C
89.7	-22.9	66.8	10	1	BR	BO	C
89.6	-22.7	66.9	10	1	BR	BO	C
62.9	0.6	63.5	3	2	BR	BO	C
68.6	1.8	70.4	3	2	BR	BO	C
70.5	-0.4	70.1	3	2	BR	BO	C
75.3	0.7	76	3	2	BR	BO	C
75.6	1	76.6	3	2	BR	BO	C
81.3	1.1	82.4	3	2	BR	BO	C
85.7	0.3	86	3	2	BR	BO	C
89.8	0.2	90	3	2	BR	BO	C
93.7	-1.9	91.8	3	2	BR	BO	C
97.6	-5.7	91.9	3	2	BR	BO	C
101.4	-9.4	92	3	2	BR	BO	C
103.4	-8.7	94.7	3	2	BR	BO	C
105.7	-11.6	94.1	3	2	BR	BO	C
107.4	-15.2	92.2	3	2	BR	BO	C
106.9	-12.6	94.3	3	2	BR	BO	C
56.3	2.4	58.7	6	2	BR	BO	C
62.3	2.9	65.2	6	2	BR	BO	C
62.1	2.8	64.9	6	2	BR	BO	C
68.3	2	70.3	6	2	BR	BO	C
68.6	1.8	70.4	6	2	BR	BO	C
74.5	2.5	77	6	2	BR	BO	C
78.3	0.7	79	6	2	BR	BO	C
82.3	1.6	83.9	6	2	BR	BO	C
86.4	0.2	86.6	6	2	BR	BO	C
90.3	-0.9	89.4	6	2	BR	BO	C
94.3	-5.1	89.2	6	2	BR	BO	C
96.3	-8	88.3	6	2	BR	BO	C
99.2	-12.4	86.8	6	2	BR	BO	C
99.4	-10.8	88.6	6	2	BR	BO	C
99.5	-9	90.5	6	2	BR	BO	C
51.1	0.9	52	10	2	BR	BO	C
57.7	0.3	58	10	2	BR	BO	C
56.4	1.6	58	10	2	BR	BO	C
63	1.5	64.5	10	2	BR	BO	C
62.7	0.3	63	10	2	BR	BO	C
69.4	0.4	69.8	10	2	BR	BO	C
72.8	1.7	74.5	10	2	BR	BO	C

77	0.5	77.5	10	2	BR	BO	C
81.4	0.3	81.7	10	2	BR	BO	C
85.3	-0.1	85.2	10	2	BR	BO	C
87.9	-0.5	87.4	10	2	BR	BO	C
88.5	-1.5	87	10	2	BR	BO	C
89.1	-3.5	85.6	10	2	BR	BO	C
89.7	-2.1	87.6	10	2	BR	BO	C
89.6	-3.3	86.3	10	2	BR	BO	C
60.6	-5.1	55.5	WN	1	BR	BO	CW
63.6	-1.6	62	WN	1	BR	BO	CW
63.8	-1.8	62	WN	1	BR	BO	CW
68	0	68	WN	1	BR	BO	CW
68.1	0	68.1	WN	1	BR	BO	CW
73.5	0.3	73.8	WN	1	BR	BO	CW
77.4	0.3	77.7	WN	1	BR	BO	CW
81.4	-3.8	77.6	WN	1	BR	BO	CW
85.3	-7.7	77.6	WN	1	BR	BO	CW
89.2	-11.5	77.7	WN	1	BR	BO	CW
91.2	-13.4	77.8	WN	1	BR	BO	CW
92.5	-14.7	77.8	WN	1	BR	BO	CW
93.7	-15.9	77.8	WN	1	BR	BO	CW
94.4	-16.6	77.8	WN	1	BR	BO	CW
94.6	-16.7	77.9	WN	1	BR	BO	CW
61.1	-4.29	56.81	WN	1	BR	KEWL	CW
64.8	-1.96	62.84	WN	1	BR	KEWL	CW
64	-1.16	62.84	WN	1	BR	KEWL	CW
68.7	0.15	68.85	WN	1	BR	KEWL	CW
68.5	0.36	68.86	WN	1	BR	KEWL	CW
74	0.89	74.89	WN	1	BR	KEWL	CW
77.9	0.42	78.32	WN	1	BR	KEWL	CW
81.9	-3.66	78.24	WN	1	BR	KEWL	CW
85.8	-7.63	78.17	WN	1	BR	KEWL	CW
89.7	-11.35	78.35	WN	1	BR	KEWL	CW
92.4	-14.05	78.35	WN	1	BR	KEWL	CW
93	-14.66	78.34	WN	1	BR	KEWL	CW
94.2	-15.73	78.47	WN	1	BR	KEWL	CW
94.9	-16.44	78.46	WN	1	BR	KEWL	CW
95.2	-16.95	78.25	WN	1	BR	KEWL	CW
63.4	-6.6	56.8	WN	1	BR	KTW	CW
64	-1.8	62.2	WN	1	BR	KTW	CW
64.1	-1.5	62.6	WN	1	BR	KTW	CW
68.4	-0.3	68.1	WN	1	BR	KTW	CW
68.5	-0.2	68.3	WN	1	BR	KTW	CW
74	0.5	74.5	WN	1	BR	KTW	CW

77.8	0.6	78.4	WN	1	BR	KTW	CW
81.8	0.6	82.4	WN	1	BR	KTW	CW
85.7	0.6	86.3	WN	1	BR	KTW	CW
89.6	1	90.6	WN	1	BR	KTW	CW
92.4	0.6	93	WN	1	BR	KTW	CW
93.1	0.1	93.2	WN	1	BR	KTW	CW
94.2	0.1	94.3	WN	1	BR	KTW	CW
94.9	-0.7	94.2	WN	1	BR	KTW	CW
95.2	-0.7	94.5	WN	1	BR	KTW	CW
60.6	-3.3	57.3	WN	2	BR	BO	CW
63.6	-0.4	63.2	WN	2	BR	BO	CW
63.8	-0.5	63.3	WN	2	BR	BO	CW
68	1.2	69.2	WN	2	BR	BO	CW
68.1	1.3	69.4	WN	2	BR	BO	CW
73.5	1.7	75.2	WN	2	BR	BO	CW
77.4	1.9	79.3	WN	2	BR	BO	CW
81.4	1.9	83.3	WN	2	BR	BO	CW
85.3	-0.8	84.5	WN	2	BR	BO	CW
89.2	-4	85.2	WN	2	BR	BO	CW
91.2	-5	86.2	WN	2	BR	BO	CW
92.5	-5.5	87	WN	2	BR	BO	CW
93.7	-6.7	87	WN	2	BR	BO	CW
94.4	-6.6	87.8	WN	2	BR	BO	CW
94.6	-6.8	87.8	WN	2	BR	BO	CW
61.1	-4.22	56.88	WN	2	BR	KEWL	CW
64.8	-2	62.8	WN	2	BR	KEWL	CW
64	-1.15	62.85	WN	2	BR	KEWL	CW
68.7	0.1	68.8	WN	2	BR	KEWL	CW
68.5	0.33	68.83	WN	2	BR	KEWL	CW
74	0.83	74.83	WN	2	BR	KEWL	CW
77.9	0.94	78.84	WN	2	BR	KEWL	CW
81.9	0.82	82.72	WN	2	BR	KEWL	CW
85.8	-2.1	83.7	WN	2	BR	KEWL	CW
89.7	-4.96	84.74	WN	2	BR	KEWL	CW
92.4	-6.34	86.06	WN	2	BR	KEWL	CW
93	-6.64	86.36	WN	2	BR	KEWL	CW
94.2	-7.25	86.95	WN	2	BR	KEWL	CW
94.9	-7.8	87.1	WN	2	BR	KEWL	CW
95.2	-7.99	87.21	WN	2	BR	KEWL	CW
63.4	-7.1	56.3	WN	2	BR	KTW	CW
64	-1.8	62.2	WN	2	BR	KTW	CW
64.1	-1.8	62.3	WN	2	BR	KTW	CW
68.4	-0.2	68.2	WN	2	BR	KTW	CW
68.5	-0.3	68.2	WN	2	BR	KTW	CW

74	0.2	74.2	WN	2	BR	KTW	CW
77.8	0.4	78.2	WN	2	BR	KTW	CW
81.8	0.4	82.2	WN	2	BR	KTW	CW
85.7	-2	83.7	WN	2	BR	KTW	CW
89.6	-5.1	84.5	WN	2	BR	KTW	CW
92.4	-7	85.4	WN	2	BR	KTW	CW
93.1	-7.6	85.5	WN	2	BR	KTW	CW
94.2	-9	85.2	WN	2	BR	KTW	CW
94.9	-9.9	85	WN	2	BR	KTW	CW